



Product name : Transparent sunscreen stick

SPF 143.04 ★★★★★

Sample No : 20161118B

Features : Transparent stick , Fast absorption, Easy to carry

Formulation :

	Ingredients	INCI Name	%
A	Rheopearl MKL2	Dextrin Myristate	5.00
	Salacos PR-85	Propanediol Dicaprylate/ Dicaprate	10.00
	Salacos PR-17	Propanediol Diisostearate	20.00
	Cosmol 222	Diisostearyl Malate	5.00
B	KALIN OGD-101	Dibutyl Lauroyl Glutamide/ Triethylhexanoin/ Diisostearyl Malate	28.80
	EMALEX SO-29	Phenyl Trimethicone	2.00
C	12-H.S.A	12-Hydroxy Stearate Acid	1.00
	UVSOB ES (Ethylhexyl Salicylate)	Ethylhexyl Salicylate	5.00
	UVSOB OCR (Octocrylene)	Octocrylene	5.00
	UVSOB B(OMC)	Octinoxate	10.00
	UVSOB A (Avobenzone)	Avobenzone	3.20
	KF-56A	Diphenylsiloxy Phenyl Trimethicone	5.00

Procedure :

1. Put phase A and mix at RT.
2. Put phase B into 【1】 and heat to 110°C until transparent appearance
3. Put phase C to 【2】 and mix at 110°C than cool down to 90°C for filling mold

※This formula is for reference only. If it needs to be commercialized, please confirm the relevant test.

Prepare by Jack 2016/11/18

香林企業股份有限公司 KALIN ENTERPRISE CO.,LTD

總公司:11670台北市文山區景文街46之1號10樓
電話: +886 289313301 傳真: +886 289313323 統編:70840978

怡滬國際貿易(上海)有限公司 電話: +86 21 54240077
香林企業股份有限公司(廣州辦事處) 電話: +86 20 38889468