



Product name : Crystal Smoothing Beauty Cream

Sample No : 20140704A

Features: moisturizing, non-sticky, silky touch. Add **MandarinClear** to repair skin texture and enhance skin elasticity and tension. Adding a seven-in-one whitening compound **CLAIR BLANCHE-II** effectively brightens the complexion and leaves the skin white and elastic.

Formulation :

	Ingredients	INCI NAME	%
A	DM 350	Dimethicone	3.00
	DM100	Dimethicone	7.00
	T.I.O	Triethylhexanoin	2.00
	BH-65	Behenyl Alcohol	0.10
	EMALEX SO-29	Phenyl Trimethicone	3.00
	Mineral oil	Mineral oil	0.40
	EMALEX SS-5051	PEG-10 Dimethicone / Dimethicone	0.80
	EMALEX SEG-07	Glyceryl Stearate / PEG-10 Stearate	0.30
	TOCOPHEROL 80	Tocopherol	0.05
	ETERPEARL WJ450	Polymethylsilsesquioxane	1.00
	DM 3096	Dimethicone / Dimethiconol	1.50
	Phenoxyethanol-S	Phenoxyethanol	0.20
	ADEKA NOL OG	Caprylyl Glycol	0.30
B.	DPG	Dipropylene Glycol	2.00
	1,3-BG	Butylene Glycol	5.00
	Glycerin	Glycerin	5.00
	DMC 6038	Bis-PEG 15-Methyl Ether Dimethicone	0.50
	Pemulen TR-1(2%)	Acrylates/C10-30 Alkyl Acrylate Crosspolymer	5.00
	Natrosol 250HHR	Hydroxyethylcellulose	0.40
	Carbopol 980(2%)	Carbomer	10.00
	EMALEX GWIS-160N	PEG-60 Glyceryl Isostearate	0.50
	EMALEX HC-60	PEG-60 Hydrogenated Castor Oil	1.00
	Deionized water	Water	44.42
C	KOH(10%)	Potassium hydroxide	1.06
	Deionized water	Water	3.00
D	CLAIR BLANCHE-II	Paeonia Suffruticosa Root Extract/Scutellaria Baicalensis Extract /Saxifrage Sarmentosa Extract/Acetyl Tyrosine/Arbutin/Glutathione/3-Aminopropyl-L-Ascoylphosphate	0.50
	MandarinClear	Citrus Reticulata (Tangerine) Peel Extract / Butylene Glycol /Water	0.50
E	ALBION TYPE A20103	perfume	0.20
	Ethanol	Ethanol	1.00
	Red101	pigment	0.02
	Yellow 11	pigment	0.25

Prepare by Emily 2014/7/4

香林企業股份有限公司 KALIN ENTERPRISE CO.,LTD



Procedure :

1. Mix and dissolve A phase at 80°C.
2. Mix and dissolve B phase at 80°C.
3. Mix and dissolve C phase.
4. Using a dispersion mill, add 【2】 to 【1】 and emulsify at 1000~1500rpm.
5. Using a dispersion mill, add 【3】 to 【4】 and emulsify at 1000~1500rpm after homogenizer for 5 minutes at 3000rpm.
6. Cool to 40°C, add D phase and E phase to 【5】 , with paddle mixing.

※This formula is for reference only. If it needs to be commercialized, please confirm the relevant test.

Prepare by Emily 2014/7/4

香林企業股份有限公司 KALIN ENTERPRISE CO.,LTD

總公司:11670臺北市文山區景文街46-1號10樓

電話:+886 289313301 傳真:+886 289313323 統編:70840978

怡滬國際貿易(上海)有限公司

香霖國際貿易(廣州)有限公司

電話:+86 21 54240077

電話:+86 20 38889468