



Product Name : Nut Soothing Moisturizer Cream

Code Number : 20140702A

Features : [Salacos PR-17](#) with moisturizing and touch similar to macadamia nut oil.

[Finepinoleoil](#) is a high-efficiency moisturizing, anti-inflammatory, anti-oxidant effect of Pinus sylvestris seed oil. [Royalbiocyte PX](#), which promotes collagen proliferation, and prevents skin wrinkles and sagging.

Prescription :

	Ingredients	INCI	%
A	T.I.O	Triethylhexanoin	8.00
	Salacos PR-17	Propanediol Diisostearate	3.00
	Finepinoleoil	Pinus Parviflora Seed Oil	1.00
	SF-9650	Dimethicone	5.00
	BH-65	Behenyl Alcohol	2.00
	K-68	Cetearyl Alcohol	3.00
	Emalex P-G-MS	Propylene Glycol Stearate	1.00
	Emalex SEG-07	Glyceryl Stearate /PEG-10 Stearate	4.00
	Tocopherol 80	Tocopherol	0.05
	Nomcort PHS	Hydrogenated Palm Oil	1.00
P.P	Propylparaben	0.10	
B	M.P	Methylparaben	0.20
	1,3-BG	Butylene Glycol	5.00
	Glycerin	Glycerin	3.00
	Amisoft HS-11P	Sodium Stearoyl Glutamate	0.30
	ECHOGUM T	Xanthan Gum	0.15
	Deionized Water	Water	61.98
C	Royalbiocyte PX	Hydrolyzed Royal Jelly Protein	0.30
	ALPROTECTOR	Paeonia suffruticosa extract / Tilia cordata flower extract /Arnica montana flower extract / Althea officinalis extract	0.30
D	Perfume Y-507RA	Fragrance	0.02

Prepare by Queena 2014/06/03

香林企業股份有限公司 KALIN ENTERPRISE CO.,LTD

總公司:11670台北市文山區景文街46之1號10樓
電話: + 886 289313301 傳真: + 886 289313323 統編:70840978

怡滬國際貿易(上海)有限公司 電話: + 86 21 54240077
香林企業股份有限公司(廣州辦事處) 電話: + 86 20 38889468



Procedure :

- 1、 Max and dissolve A phase at 80°C.
- 2、 Max and dissolve B phase at 80°C.
- 3、 Using a dispersion mill, add 【2】 to 【1】 and emulsify for 5 minutes at 3000rpm after homogenizer for 5 minutes at 3000rpm.
- 4、 Cool to room temperature, add C phase and D phase to 【3】 , with paddle mixing.

※This formula is for reference only. If you need to commercialize, please confirm the test※

Prepare by Queena 2014/06/03

香林企業股份有限公司 KALIN ENTERPRISE CO.,LTD

總公司:11670台北市文山區景文街46之1號10樓
電話: + 886 289313301 傳真: + 886 289313323 統編:70840978

怡滬國際貿易(上海)有限公司 電話: + 86 21 54240077
香林企業股份有限公司(廣州辦事處) 電話: + 86 20 38889468